Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 January 2009

(For the Period 15 December 2008 to 31 December 2008)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document. "N" indicates that a "new" document has been entered into the ASSIST database. "M" indicates that a document already in ASSIST has been "modified" in some way. The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at http://assist.daps.dla.mil for the most current information. If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at http://assist.daps.dla.mil/online/registration/registration.cfm. Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: http://assist.daps.dla.mil/online/news/AlertService.htm.

ASSIST UPDATE

ACTIVE SECTION	ASSIST UPDATE					
z		N				
O P P P P P P P P P P P P P P P P P P P		DISTRIBUTION	_		Y	
AACT.		BO	₹E⁄		ACTY	
7 15		T.	/AF	A	.P.	
DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC/AREA	MCA	PREP	DATE
M A-A-59587C	Bearing, Ball, Annular, Single Row, Radial, Filling Slot, Dimension Series 02 [CUST: AT OS 99]	_	3110		GS4	23-DEC-2008
	GS4] [ŘEVIÉW: 11 84 GL MI]					
M A-A-59589C	Bearing, Ball, Annular, Single Row, Radial, Filling Slot, Dimension Series 03 [CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI]	A	3110	/	GS4	23-DEC-2008
M A-A-59595C		A	3110	/	GS4	23-DEC-2008
W 111 37373C	Bearing, Ball, Annular, Single Row, Radial, Non-Filling Slot, Cartridge Type Without Grease Plug, Dimension Series 32 [CUST: AT OS 99 GS4] [REVIEW: 11 84 GL MI]	* *	3110	,	GD 1	25 DEC 2000
M MIL-L-81561G(2) SUP 1 NOT 1	Life Preserver Assemblies, Inflatable, Aircrewmen and Passenger, Cemented and Heat Sealed	A	4220		AS	16-DEC-2008
M MIL-L-81561/3 NOT 2	[CUST: AS] Life Preserver, Inflatable, Aircrewmen, Heat Sealed, with Inflation Device, Type LPU-21D/P	A	4220		AS	16-DEC-2008
WI MIL-L-81301/3 NOT 2	[CUST: AS]	A	4220		AS	10-DEC-2006
M MIL-L-81561/4(1) NOT 3	Life Preserver, Inflatable, Yoke, Heat Sealed, Type LPU-23C/P [CUST: AS]	A	4220		AS	16-DEC-2008
M MIL-L-81561/6 NOT 2	Life Preservers, Inflatable, Yoke, Heat Sealed, Type LPU-32/P [CUST: AS]	A			AS	16-DEC-2008
M QPL-81561/3-1 NOT 2	Life Preserver, Inflatable, Aircrewmen, Heat Sealed with Inflation Device, Type LPU-21D/P	A			AS	23-DEC-2008
M QPL-81561/4-1 NOT 2	Life Preserver, Inflatable, Aircrewmen, Heat Sealed without, Inflation Device, Type LPU-23C/P	A			AS	23-DEC-2008
M QPL-81561/6-1 NOT 2	Life Preserver, Inflatable, Yoke, Heat Sealed, Type LPU-32/P	A			AS	23-DEC-2008
M MIL-PRF-39003L(1) SUP 1	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, Established Reliability, General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	12-DEC-2008
M MIL-PRF-83536/3B	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 5 Amperes, Permanent	A	5945		CC	11-DEC-2008
WI WILL-I KI -03330/3B	Magnet Drive, Magnetic Latch, Hermetically Sealed, all Welded, DC Coils [CUST: CR EC 85 CC]	1	3743		CC	11-DEC-2000
	[REVIEW: 99]					
M MIL-PRF-83536/9B	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed, all Welded, DC Coils [CUST: ER EC 85 CC] [REVIEW: 99]	A	5945		CC	11-DEC-2008
M MIL-PRF-1/1509G	Electron Tube, Power Type 6696A, 6697A and 6697AW [CUST: CR EC 85 CC] [REVIEW: 99]	Δ	5960		CC	18-DEC-2008
W WILL-I KI-1/1309G	AV CG CR4 OS]	Δ.	3900		cc	16-DEC-2008
M MIL-PRF-19500/528B	Semiconductor Device, Transistor, NPN, Silicon, Power, Types 2N6032 and 2N6033 JAN, JANTX,	A	5961		CC	18-DEC-2008
	and JANTXV [CUST: 85 CC] [REVIEW: 19]	١.			~~	
M MIL-PRF-19500/586J	Semiconductor Device, Diode, Silicon, Schottky Barrier, Hermetic, Types 1N5819-1, 1N5819UR-1, 1N6761-1, and 1N6761UR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR	A	5961		CC	05-JAN-2009
	EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]					
M MIL-PRF-19500/621C	Semiconductor Device, Transistor, PNP, Silicon, High-Power, Type 2N7369, JAN, JANTX,	A	5961		CC	11-DEC-2008
	JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MI SM]	١.				
M MIL-HDBK-1861A(2)	Selection and Use of Electrical and Electronic Assemblies, Boards, Cards, and Associated Hardware [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998		CC	24-DEC-2008
M QPL-25627-17 NOT 1	Transmitter, Synchro, Angle of Attack of Sideslip (Replaced by the Qualified Products Database	A	6610		71	18-DEC-2008
M Q12 2002/ 1/ 1/01 1	(QPD) see Notice for Additional Information)		0010		, ,	10 220 2000
M QPL-23699-19 NOT 1	Lubricating Oil, Aircraft Turbine Engines, Synthetic Base NATO Code Number 0-156, 0-154 and 0-	A	9150		AS	30-DEC-2008
M ODI 91927 12 NOT 1	152 (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	١,	0150		A C	17 DEC 2009
M QPL-81827-12 NOT 1	Grease, Aircraft, High Load Capacity, Wide Temperature Range (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	9150		AS	17-DEC-2008
M MIL-STD-2525C	Common Warfighting Symbology [CUST: AC OM 02 MP]	A	IPSC		DC3	17-NOV-2008
M MIL-STD-704F NOT 1	Aircraft Electric Power Characteristics [CUST: AV AS 11] [REVIEW: CR EC MC MI SH TE YD]	A	SESS		AS	30-DEC-2008
	I.	1				

01-JAN-2009

INACTIVE SECTION

ASSIST UPDATE

INACTIVE SECTION	ASSIST UPDATE				
N OCUMENT NUMBER		DISTRIBUTION	FSC/AREA	MCA PREP ACTY	
DOCUMENT NUMBER M MIL-C-62F SUP 1	DOCUMENT TITLE Capacitors, Fixed, Electrolytic (DC, Aluminum, Dry Electrolyte, Polarized), General Specification	Ā Ā		Z E	DATE 18-DEC-2008
	for [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS]				
M MIL-C-62/1D	Capacitors, Fixed, Electrolytic (DC, Aluminum, Dry Electrolyte, Polarized) Styles CE10 and CE11 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV CR4 MC MI OS]		5910	CC	
M MIL-C-62/2D	Capacitors, Fixed, Electrolytic (DC, Aluminum, Dry Electrolyte, Polarized) Styles CE12 and CE13 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AV CR4 MC MI OS SH]	A	5910	CC	18-DEC-2008
M MIL-C-62/12G	Capacitors, Fixed, Electrolytic (DC, Aluminum, Dry, Electrolyte, Polarized) Styles CE70 and CE71 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH]	A	5910	CC	18-DEC-2008
M MIL-DTL-15659J SUP 1 NOT 1	Terminal, Lug: Solder, Copper and Phosphor Bronze [CUST: AR AS 85 GS4] [REVIEW: AT AV CR CR4 MC MI SH]		5940	GS	
M MS35430C NOT 1 M MS35431H NOT 1	Terminal, Lug, Solder Type, Copper Stamping, One Hole [CUST: MI SH 99 GS4] Terminal, Lug, Solder Type, Copper Stamping, One Hole, Flat [CUST: AR AS 85 GS4] [REVIEW: 99 AV MC MI]		5940 5940	GS GS	
M MS35436C NOT 1	Terminal, Lug, Solder Type, Copper Stamping, Insulation Grip, One Hole [CUST: CR SH 85 GS4] [REVIEW: MI]	A	5940	GS	4 30-DEC-2008
M MS35440B NOT 1	Terminal, Lug, Solder Type, Copper Stamping, Insulation Grip, Slotted [CUST: MI SH 85 GS4] [REVIEW: 99]	A	5940	GS	4 30-DEC-2008
M MS51535C NOT 1	Terminal, Lug, Solder Type, Copper Stamping, Two Hole, 30 [CUST: AV AS 85 GS4] [REVIEW:	A	5940	GS	4 30-DEC-2008
M MS51536C NOT 1	99 MC MI] Terminal, Lug, Solder Type, Copper Stamping, Two Hole, 45 [CUST: AV AS 85 GS4] [REVIEW:	A	5940	GS	4 30-DEC-2008
M MS77068B NOT 1	99 MC MI] Terminal, Lug, Solder Type, Phosphor Bronze Stamping, Locking Type, 45, Two Hole [CUST: AV	A	5940	GS	4 30-DEC-2008
M MS77074B NOT 1	SH 85 GS4] [REVIEW: 99 CR4 MC MI] Terminal, Lug, Solder Type, Phosphor Bronze Stamping, Insulation Grip. Locking Type [CUST: AV	A	5940	GS	
M MIL-PRF-1/1341A	SH 85 GS4] [REVIEW: 99 AS MC] Electron Tube, Cathode Ray Electrostatic Deflection and Focus Type 3BGP1 [CUST: CR CC]		5960	CC	
M MIL-PRF-1/1572B	Electron Tube, Vidicon Type 7290 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC]	A		CC	
M MIL-A-16288/1 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to British Oxygen Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/2 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to French Oxygen Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/3 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to Japanese Oxygen Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/4 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to Dutch Oxygen Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/6 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: U.S. Regulator to British Acetylene Valve [CUST: AT YD 68 GS7] [REVIEW: AS AV MD MS SH]	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/13 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: Class 200-510, Acetylene [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/14 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: Class 510-200, Acetylene [CUST: AT YD	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/15 NOT 4	68 GS7] [REVIEW: AS AV MC MD MS SH] Adapter, Compressed Gas Cylinder Valve Connections: Class 200-520, Acetylene [CUST: AT YD	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/16 NOT 4	[68 GS7] [REVIEW: AS AV MC MD MS SH] Adapter, Compressed Gas Cylinder Valve Connections: Class 300-510, Acetylene [CUST: AT YD]	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/17 NOT 4	[68 GS7] Adapter, Compressed Gas Cylinder Valve Connections: Class 510-300, Acetylene [CUST: AT YD]	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/18 NOT 4	[68 GS7] [REVIEW: AS AV MC MD MS SH] Adapter, Compressed Gas Cylinder Valve Connections: Class 300-520, Acetylene [CUST: AT YD]	A	8120	GS	7 30-DEC-2008
M MIL-A-16288/19 NOT 4	[68 GS7] Adapter, Compressed Gas Cylinder Valve Connections: Class 520-300, Acetylene [CUST: AT YD]		8120	GS	
	68 GS7] [REVIEW: AS AV MC MD MS SH]				
M MIL-A-16288/20 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: Class 510-520, Acetylene [CUST: AT YD 68 GS7]		8120	GS	
M MIL-A-16288/21 NOT 4	Adapter, Compressed Gas Cylinder Valve Connections: Class 520-510, Acetylene [CUST: AT YD 68 GS7] [REVIEW: AS AV MC MD MS SH]		8120	GS	
M MIL-C-81575(1) NOT 4	Cylinder, Nitrogen, for Rescue Hand Tool [CUST: AS GS7]	A	8120	GS	7 19-DEC-2008

01-JAN-2009

CANCELED SECTION

ASSIST LIPDATE

CANCELED SECTION	ASSIST UPDATE					
Z		ON				
TAST ACTION TO THE PROPERTY OF		DISTRIBUTION	Ę.		TY	
3,40		RIB	FSC/AREA		PREP ACTY	
AS7		IST	SC/	MCA	REF	
DOCUMENT NUMBER M QPL-17303-46 NOT 3	DOCUMENT TITLE Packing Materials, Plastic Metallic and Plastic Nonmetallic (No S/S Document)		5330	2	SH	DATE 04-DEC-2008
M MIL-M-24791/1 NOT 1	Module, Fiber Optic, Transmitter, Digital, 160 MBD, Associated Detail Specification for (No S/S Document) [CUST: CR SH 11 NA] [REVIEW: CC EC OS YD]		6025		SH	18-DEC-2008
M MIL-M-24791/2 NOT 1	Module, Fiber Optic, Receiver, Digital, 16 MBD, Associated Detail Specification for (No S/S Document) [CUST: CR SH 11 NA] [REVIEW: CC EC OS YD]	A	6026		SH	18-DEC-2008
M MIL-M-24791 NOT 1	Module, Fiber Optic, Transmitter or Receiver, Digital, General Specification for (No S/S Document) [CUST: CR SH 11 NA] [REVIEW: CC EC OS YD]	A	6030		SH	18-DEC-2008
01 JAN 2000		1				

3

01-JAN-2009